



Get the lift
you've been looking for
and a gift of up to \$300
in savings

Instantly smooth away moderate to severe facial wrinkles and folds with *Restylane*, the world's #1-selling dermal filler, or *Perlane*. *Restylane* or *Perlane* can help you get the lift you've been looking for and reveal a younger-looking you.

Get a lift now and save up to \$300 during this limited-time offer. All you have to do is:

- Receive treatment with *Restylane* or *Perlane* between February 1, 2010, and March 31, 2010.
- Mail in your redemption submission no later than April 5, 2010.

You will receive \$50 cash back for each milliliter (mL) of *Restylane* or *Perlane* used in your treatment, up to a maximum of 6 mL per visit (up to \$300)! For Offer Terms and Conditions and to download a *Restylane* Redemption Form, visit www.RestylaneUSA.com/rewards.

Get a lift with *Restylane* or *Perlane* and save up to \$300. Schedule an appointment with your doctor today. Offer expires March 31, 2010.

Restylane[®]

The world's #1-selling wrinkle filler

Perlane[®]

Part of the *Restylane* collection

Either *Restylane* or *Perlane* can be used to restore volume and fullness to the skin to correct moderate to severe facial wrinkles and folds, such as the lines from your nose to the corners of your mouth (nasolabial folds). Ask your physician which is right for you.

Important Safety Considerations for *Restylane* or *Perlane*

After your treatment, you might have some swelling, redness, pain, bruising, and tenderness. This will normally last less than seven days. Although rare, red or swollen small bumps may occur. If you have had facial cold sores before, an injection can cause another outbreak. In rare circumstances, the doctor may inject into a blood vessel, which can damage the skin. To avoid bruising and bleeding, you should not use either product if you have recently used drugs that thin your blood or prevent clotting. If you are pregnant, breastfeeding, or under 18 years, you should not use *Restylane* or *Perlane*.

Restylane or *Perlane* should not be used by people with previous bad allergies, particularly to certain microorganisms known as gram-positive bacteria; by people with previous bad allergies to drugs that have required in-hospital treatment; or by people with bleeding disorders. Injections should not be made anywhere except the skin or just under the skin.

Patients should be limited to 6.0 mL per treatment. The safety or effectiveness of *Restylane* and *Perlane* for the treatment of anatomic regions other than nasolabial folds have not been established in controlled clinical studies.

The use of *Restylane* or *Perlane* at the site of skin sores, pimples, rashes, hives, cysts, or infection should be postponed until healing is complete. Use of either product in these instances could delay healing or make your skin problems worse.

Restylane and *Perlane* are available only through a licensed practitioner. Complete product and safety information is available at www.RestylaneUSA.com.